

DOOSAN HEAVY EXCAVATOR ATTACHMENTS

Doosan's portfolio of Attachments are designed to work in all types of working applications. The new range of DOOSAN attachments which are offered, are developed based on customer's requirements and satisfaction criteria through worldwide market feedback. The attachments series consists of demolition, material handling, earth moving and connecting attachments.



HYDRAULIC BREAKER



ROTATING CRUSHER



FIXED PULVERIZER



VIBRATING RIPPER



PILE DRIVER



MULTI-PROCESSOR



STEEL SHEAR



MULTI-GRAPPLE



STONE GRAPPLE

DOOSAN HEAVY EXCAVATOR ATTACHMENTS USING THE 6 KINDS OF GOOD REASONS



ONE-STOP SHOP

One place for complete solutions :
(carrier + attachments + parts + service)



ENGINEERING APPROVED

Optimized for DOOSAN equipment high efficiency and performance, resulting in lower running and maintenance cost.



SERVICE

Broad coverage via the DOOSAN service network, fully supported by DOOSAN product specialists.



QUALITY

Products manufactured to highest standards.



WARRANTY

Avoid compatibility issues and operating differences from using Non-approved attachments.



PLUG & PLAY READINESS

Easy to install and operate.



RIPPER



PLATE COMPACTOR



CLAMSHELL BUCKET



HYDRAULIC QUICK COUPLER



ORANGE GRAPPLE



LOG GRAPPLE



WOOD GRAPPLE

Earth Moving Attachments

RIPPER

Doosan Rippers offer powerful ripping capabilities in hard and compact materials such as compact soil, rock, ice, caliche, tarmac, paved areas.



Product



Suitable design

Best fit for Quick-Coupler or Pin On mounting.



Extra thick steel shank
Increases the strength of the ripper.



High wear resistance with high quality steel for longer lifetime



GET replaceable wear items
Easily replaced with horizontal pin lock system.

Feature & Benefits

7 different models

· 5~52 tons Models are available.

Proven and durable design

· Reduces torsion stress.
· Perfect penetration angle.

Extra thick steel shank



· Increases the strength of the ripper, while reducing the stress on the excavator.

High wear resistance steel

· Keeps longer lifetime.

Easy maintenance

· GET wear items easily replaced with horizontal pin lock system.



Model		RP5	RP14	RP22	RP30	RP34	RP42	RP48
Carrier weight	t	5~6	14	21~22	30~31	34~35	42	48~52
Operating weight	kg	102	245	450	587	740	760	804
Heights (H)	mm	683	1,057	1,278	1,298	1,620	1,620	1,640
Length (L)	mm	484	749	936	969	1,015	1,007	1,032
Length (L1)	mm	260	395	465	510	550	535	585
Width (W)	mm	260	363	506	605	650	660	701
Width (W1)	mm	155	260	334	396	410	442	472
Diameter (Ø)	mm	45	65	80	90	100	110	120