

**DOOSAN**

Construction Equipment

# Wheel loader Attachments

General Purpose Bucket / Light Material Bucket /  
V-Shape Rock Bucket / Hydraulic Quick Coupler / Pallet Fork /  
Log & Lumber Grapple / Clearing Rake





# DOOSAN WHEEL LOADER ATTACHMENTS

GENERAL PURPOSE BUCKET



CLEARING RAKE



LOG & LUMBER GRAPPLE



## DOOSAN WHEEL LOADER ATTACHMENTS USING THE 6 KINDS OF GOOD REASONS



### ONE-STOP SHOP

One place for complete solutions :  
(carrier + attachments + parts + service)



### ENGINEERING APPROVED

Optimized for Wheel loader equipment high efficiency and performance, resulting in lower running and maintenance cost.



### SERVICE

Broad coverage via the Wheel loader service network, fully supported by Wheel loader product specialists.



### QUALITY

Products manufactured to highest standards.



### WARRANTY

Avoid compatibility issues and operating differences from using Non-approved attachments.



### PLUG & PLAY READINESS

Easy to install and operate.



PALLET FORK

HYDRAULIC QUICK COUPLER

V-SHAPE ROCK BUCKET

LIGHT MATERIAL BUCKET

# Material Handling Attachments

## Pallet Fork

Commonly used on job sites to move pallets and to perform other material handling duties such as pipes, steel frames, concrete blocks. Operator visibility was tested and optimized to ensure safe, precise and fast control at ground level and up to truck bed height.



### Feature & Benefits

- Heavy Duty Construction: Designed for construction use with fine static load ratings beyond loader lift capacities
- Open frame design and offset tines : Provides maximum visibility for picking up and placing materials
- Manual Adjustable Tines: Allows forks to be adjusted to required width depending on material to be moved or placed



### Technical Specifications

Model Name	Carrier Compatibility	Operating Width (mm)	Length (inch)	Weight (kg)	Linkage Type
DLPF20-48Q	DL200 / DL200A	450~2,030	48"	690	QC
DLPF25-48Q	DL250 / DL250A	450~2,030	48"	965	QC
DLPF30-48Q	DL300 / DL300A	600~2,160	48"	990	QC
DLPF20-60Q	DL200 / DL200A	450~2,030	60"	735	QC
DLPF25-60Q	DL250 / DL250A	450~2,030	60"	1,025	QC
DLPF30-60Q	DL300 / DL300A	600~2,160	60"	1,050	QC
DLPF42-60Q	DL420 / DL420A	600~2,160	60"	1,630	QC
DLPF55-60Q	DL550 / DL550-3	600~2,160	60"	2,180	QC
DLPF25-72Q	DL250 / DL250A	450~2,030	72"	1,085	QC
DLPF30-72Q	DL300 / DL300A	600~2,160	72"	1,110	QC
DLPF42-72Q	DL420 / DL420A	600~2,160	72"	1,715	QC
DLPF55-72Q	DL550 / DL550-3	600~2,160	72"	2,260	QC
DLPF55-78Q	DL550 / DL550-3	1,000~1,650	78"	2,920	QC

Model Name	Carrier Compatibility	Operating Width (mm)	Length (inch)	Weight (kg)	Linkage Type
DLPF20-48	DL200 / DL200A	450~2,030	48"	690	DM
DLPF25-48	DL250 / DL250A	450~2,030	48"	965	DM
DLPF30-48	DL300 / DL300A	600~2,160	48"	990	DM
DLPF20-60	DL200 / DL200A	450~2,030	60"	735	DM
DLPF25-60	DL250 / DL250A	450~2,030	60"	1,025	DM
DLPF30-60	DL300 / DL300A	600~2,160	60"	1,050	DM
DLPF42-60	DL420 / DL420A	600~2,160	60"	1,630	DM
DLPF55-60	DL550 / DL550-3	600~2,160	60"	2,180	DM
DLPF25-72	DL250 / DL250A	450~2,030	72"	1,085	DM
DLPF30-72	DL300 / DL300A	600~2,160	72"	1,110	DM
DLPF42-72	DL420 / DL420A	600~2,160	72"	1,715	DM
DLPF55-72	DL550 / DL550-3	600~2,160	72"	2,260	DM
DLPF55-78	DL550 / DL550-3	1000~1,650	78"	2,920	DM

Linkage type(Bucket Linkage) : DM=Direct mounting(Pin-on), QC=Quick coupler