

DOOSAN

Construction Equipment

Wheel loader Attachments

General Purpose Bucket / Light Material Bucket /
V-Shape Rock Bucket / Hydraulic Quick Coupler / Pallet Fork /
Log & Lumber Grapple / Clearing Rake




DOOSAN WHEEL LOADER ATTACHMENTS

GENERAL PURPOSE BUCKET



CLEARING RAKE



LOG & LUMBER GRAPPLE

DOOSAN WHEEL LOADER ATTACHMENTS USING THE 6 KINDS OF GOOD REASONS



ONE-STOP SHOP

One place for complete solutions :
(carrier + attachments + parts + service)



ENGINEERING APPROVED

Optimized for Wheel loader equipment high efficiency and performance, resulting in lower running and maintenance cost.



SERVICE

Broad coverage via the Wheel loader service network, fully supported by Wheel loader product specialists.



QUALITY

Products manufactured to highest standards.



WARRANTY

Avoid compatibility issues and operating differences from using Non-approved attachments.



PLUG & PLAY READINESS

Easy to install and operate.



PALLET FORK

HYDRAULIC QUICK COUPLER

LIGHT MATERIAL BUCKET

V-SHAPE ROCK BUCKET

Connecting Attachments

Hydraulic Quick Coupler

Doosan Hydraulic Quick Couplers allow you to increase the versatility of your excavators. Quick coupler will help you gain in productivity and efficiency with increased safety.



Agriculture



General Construction



Forestry



Heavy Construction



Recycling



Quarry & Mining



Demolition



Feature & Benefits

- Safety while connecting and removing attachments
- A robust design with few spare parts, reducing torsion stress and increasing coupler lifetime
- An engineering approved and tested solution by Doosan
- Fit up tested to ensure best fit, perfect compatibility and protection to the Doosan



Technical Specifications

Model Name	Carrier Compatibility	Weight	Overall Length (mm)	Overall Width (mm)	Overall Height (mm)
DLQC20	DL200 / DL200A	340	1,275	732	410
DLQC25	DL250 / DL250A	390	1,319	745	440
DLQC30	DL300 / DL300A	530	1,320	809	450
DLQC42	DL420 / DL420A	760	1,465	875	550
DLQC55	DL550 / DL550-3	800	1,688	1,025	603